

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/612,923	07/07/2003	Sung Kun-Tsai	6952		
7590 04/12/2004			EXAM	EXAMINER	
SUNG KUN-TSAI P.O. BOX 487			KING, BRADLEY T		
CHANG-HUA CITY, 500 TAIWAN			ART UNIT	PAPER NUMBER	
			3683		
			DATE MAILED: 04/12/2004		

Please find below and/or attached an Office communication concerning this application or proceeding.

· f	Α	pplication No.	Applicant(s)	-/			
•		10/612,923 KUN-TSAI, SUNG) IG			
Office Action Summa	ery E	xaminer	Art Unit				
	В	radley T King	3683				
The MAILING DATE of this co Period for Reply			he correspondence a	address			
A SHORTENED STATUTORY PER THE MAILING DATE OF THIS COM - Extensions of time may be available under the pi after SIX (6) MONTHS from the mailing date of t - If the period for reply specified above, the may - Failure to reply within the set or extended period Any reply received by the Office later than three earned patent term adjustment. See 37 CFR 1.7	IMUNICATION. rovisions of 37 CFR 1.136(a) his communication. hithity (30) days, a reply with imum statutory period will al for reply will, by statute, cau months after the mailing date	b. In no event, however, may a reply be the statutory minimum of thirty (30) bely and will expire SIX (6) MONTHS as the application to become ABAND	pe timely filed) days will be considered tim from the mailing date of this ONED (35.11.S.C. & 133)	iely. communication.			
Status							
1) Responsive to communication	(s) filed on						
2a) This action is FINAL .		tion is non-final.					
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims							
4) ☐ Claim(s) 1-3 is/are pending in 4a) Of the above claim(s) 5) ☐ Claim(s) is/are allowed 6) ☐ Claim(s) 1-3 is/are rejected. 7) ☐ Claim(s) is/are objected 8) ☐ Claim(s) are subject to	_ is/are withdrawn t						
Application Papers							
9) The specification is objected to	•						
10)⊠ The drawing(s) filed on <u>07 July</u> Applicant may not request that ar			-				
Replacement drawing sheet(s) in			, ,	CED 1 101(d)			
11) The oath or declaration is object							
Priority under 35 U.S.C. § 119							
	e of: riority documents ha riority documents ha opies of the priority o rnational Bureau (P	ave been received. ave been received in Applic documents have been rece CT Rule 17.2(a)).	cation No eived in this Nationa	al Stage			
Attachment(s)							
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Re 	view (PTO-948)	4)					
Information Disclosure Statement(s) (PTO-1 Paper No(s)/Mail Date			al Patent Application (PT	「O-152)			

Art Unit: 3683

DETAILED ACTION

Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

Drawings

Figure 7 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

The drawings are objected to as failing to comply with 37 CFR 1.84(p)(4) because reference character "241" has been used to designate both a flange at the upper end of sleeve 24 (figure 1) and a flange at the lower end of the sleeve (figure 6). A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

Specification

The disclosure is objected to because of the following informalities: page 4, line 4 of the specification references screw rod 25 as "24". Line 9 references the screw rod as element "35".

Appropriate correction is required.

Art Unit: 3683

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claim 3 is rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention. Claim 3 recites "the reduced section serves to confine the flange of the sleeve so that the screw rod can move upwards and downwards". The specification discloses a similar feature. It is not clear how the screw rod can move upwards and downwards when the reduced section of the screw rod confines the sleeve. According to the drawings, it appears that the reduced section serves to confine the flange of the sleeve to prevent the screw rod from moving upwards and downward. See figure 6.

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 1-3 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Art Unit: 3683

Claim 1 recites "U-like". It is unclear what the addition of the word "like" is intended to convey.

Claim 1 recites "the buckling groove is adjustable at a lower of the positioning rod". It is not clear what "a lower" refers to. It is also unclear how the buckling groove is adjustable at a lower of the positioning rod as the groove is formed in the rod.

Claim 2 recites "two sides of the top". The meaning of this limitation is unclear.

The language "two ends of the top" would appear to better describe the features.

Claim 3 recites "a bottom of the inner tube of the sleeve is formed with a flange".

There is insufficient antecedent basis for "the inner tube" in the claims. The language "a lower end of the inner surface of the sleeve is formed with a flange" appears to better describe the features.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Yang, Rutter et al, Screen, Neville, and Ishii. All show caster braking devices.

Allowable Subject Matter

Claims 1-2 would be allowable if rewritten or amended to overcome the rejection(s) under 35 U.S.C. 112, second paragraph, set forth in this Office action.

Art Unit: 3683

The following is a statement of reasons for the indication of allowable subject matter: the prior art of record fails to disclose the features of the buckling groove in combination with the interconnection of the sliding seat and the positioning rod.

The following claim drafted by the examiner and considered to distinguish patentably over the art of record in this application and over come the 112 2nd rejections, is presented to applicant for consideration:

1. A caster braking device comprising; a wheel having a protruding rim with an axial hole; an outer periphery of the protruding rim being formed with a plurality of teeth which are spaced with an equal space;

a supporting seat having a round mask one side of which is connected to a vertical tube; an axial tube being formed in an opening of the round mask; the axial tube being engaged to the axial hole of the wheel; an upper end of the round mask being formed with a slot;

an axial rod; the axial tube of the supporting seat receiving the axial rod; the wheel being rotatable freely;

a positioning rod being formed in the slot of the round mask; a pinhole being formed in the positioning rod and an upper end of the positioning rod having a recess; a lower end of the positioning rod having a buckling groove for buckling one tooth of the wheel;

Art Unit: 3683

a sliding seat having a U shape; two guide posts being transversally formed between two legs of the sliding seat so that a guide groove is formed between the two guide posts; the two guide posts being placed in the recess of the positioning rod; a pin passes through the pinhole of the positioning rod and the guide groove of the sliding seat so as to combine the positioning rod and the sliding seat; the pin being movable in the guide groove so that as the sliding seat is pushed, the positioning rod is movable up and down; so that the buckling groove is buckled with the tooth of the wheel to brake the wheel or the buckling groove retracts from the teeth of the wheel so that the wheel is slidable.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bradley T King whose telephone number is (703) 308-8346. The examiner can normally be reached on 11:00-7:30 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jack Lavinder can be reached on (703) 308-3421. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

BTK

DOUGLAS C. BUTLER
PRIMARY EXAMPLER

AU 3683